


OPEN N STOP KD




ROOT 1



OPEN N STOP KD



Product Images



Lifestyle Images



This safety gate for children Open N Stop KD can be used for doors and stairs with a width from 75 to 80 cm. If you want to secure larger openings, we recommend the Open N Stop KD inclusive 9 cm extension (84 - 89 cm) or the Open N Stop KD inclusive 21 cm extension (96 - 101 cm). All models of this gate can be extended with a second extension up to 122 cm and with Y-spindles to be used for round stair railings.

The metal safety gate is installed with four fixing screws by pressure in between walls, doors or stairs and leaves no trace when removed because no drilling is necessary. Adults can open the 50 cm wide door with one hand only in both directions. This way, one hand remains free for the little explorer. The door's two-fold manual locking mechanism can't be opened by small children.

With the separately available 9 cm and/or 21 cm extension, the Open N Stop KD gate can be extended up to 122 cm. If the stair railings are round, we recommend the hauck Y-Spindles as accessories. These replace the fixing screws on the safety gate's side that needs to be fixed on round railings, resulting in the same dimensions.

The following opening widths are possible:

- 75 - 80 cm = safety gate Open N Stop KD (without extensions)
- 84 - 89 cm = safety gate + 9 cm extension (optional)
- 93 - 98 cm = safety gate + 9 cm + 9 cm extension (optional)
- 96 - 101 cm = safety gate + 21 cm extension (optional)
- 105 - 110 cm = safety gate + 9 cm + 21 cm extension (optional)
- 117 - 122 cm = safety gate + 21 cm + 21 cm extension (optional)

With this safety gate you can secure your home not only for your kids, but also for your pets.

Note:

This product is a self-adjusting gate. This means that the gate's initial misaligning/gap on the level of the locking mechanism is eliminated by tightening the locking screws in the frame.

Shipping

- Safety gate

Video

- https://www.youtube.com/watch?v=lwTybLh_V5c
- hauck Youtube Channel

Product net weight 3,80 kg

Protection Area

Possible protection area 75 - 80 cm (gate without extensions)

Extension possibilities
9 cm Extension
21 cm Extension
Y-Spindle

Optional protection area
84 - 89 cm (Gate + 9 cm Extension)
93 - 98 cm (Gate + 9 cm + 9 cm Extension)
96 - 101 cm (Gate + 21 cm Extension)
105 - 110 cm (Gate + 9 cm + 21 cm Extension)
117 - 122 cm (Gate + 21 cm + 21 cm Extension)

Safety Gate height 77 cm

Special features
Easy to assemble without drilling
Extendable

Age information 0 - 24 months

Dimensions

Built up 1,5/4 x 75 - 80 x 77 cm