

**STOP N SAFE 2**  
FOR WIDTHS 75-80 CM




**ROOT 1**



STOP N SAFE 2  
FOR WIDTHS 75-80 CM



Product Images



Lifestyle Images



This safety gate for children Stop N Safe 2 can be used for doors and stairs with a width from 75 to 80 cm. If you want to secure larger openings, we recommend the Stop N Safe 2 inclusive 9 cm extension (84 - 89 cm) or the Stop N Safe 2 inclusive 21 cm extension (96 - 101 cm). All models of this gate can be extended with a second extension up to 122 cm and with Y-spindles to be used for round stair railings.

The metal safety gate is installed with four fixing screws by pressure in between walls, doors or stairs and leaves no trace when removed because no drilling is necessary. Adults can open the 50 cm wide door with one hand only in both directions. This way, one hand remains free for the little explorer. The door's two-fold manual locking mechanism can't be opened by small children.

With the separately available 9 cm and/or 21 cm extension, the Stop N Safe 2 gate can be extended up to 122 cm. If the stair railings are round, we recommend the hauck Y-Spindles as accessories. These replace the fixing screws on the safety gate's side that needs to be fixed on round railings.

The following opening widths are possible:

- 75 - 80 cm = safety gate (without extensions)
- 84 - 89 cm = safety gate + 9 cm extension (optional)
- 93 - 98 cm = safety gate + 9 cm + 9 cm extension (optional)
- 96 - 101 cm = safety gate + 21 cm extension (optional)
- 105 - 110 cm = safety gate + 9 cm + 21 cm extension (optional)
- 117 - 122 cm = safety gate + 21 cm + 21 cm extension (optional)

Note: This item is a self-adjusting gate. This means that the initial inclination of the side part is eliminated by tightening the locking screws in the frame. This way, a secure hold and a parallel fixation of the side parts is possible.

## Shipping

- Safety gate

## Video

- <https://www.youtube.com/watch?v=3DZYraOtxZk>
- hauck Youtube Channel

## STOP N SAFE 2

FOR WIDTHS 75-80 CM



**Product net weight** 3,80 kg 8.38 lb / US

### Protection Area

**Possible protection area** 29.5-31.5 in (safety gate without extension)

**Extension possibilities**  
9 cm Extension  
21 cm Extension  
Y-Spindle

**Optional protection area**  
33.1-35 in (safety gate + 9 cm extension)  
36.6-38.6 in (safety gate + 2 x 9 cm extension)  
37.8-39.8 in (safety gate + 21 cm extension)  
41.3 - 43.3 in (safety gate + 9 cm extension + 21 cm extension)  
46.1-48 in (safety gate + 2x 21 cm extension)

**Safety Gate height** 30.31 in

**Special features** Easy to assemble without drilling

**Age information** 0 - 24 months

### Dimensions

**Built up** 0.6/1.57 x 29.5 x 30.3 in