

**CLEAR STEP AUTOCLOSE 2**  
THE BARRIER-FREE SAFETY GATE FOR DOORS & STAIRS



**SAFE OPENING AND AUTOMATIC CLOSING**

/

**INDIVIDUALLY EXTENDABLE WITH ACCESSORIES**

/

**SAFE AND FAST INSTALLATION WITHOUT DRILLING**



**MORE SAFETY THANKS TO  
BARRIER-FREE ENTRY**



**MORE SAFETY THANKS TO BARRIER-FREE ENTRY**

The safety gate with extra-low entry offers you and your child more comfort and safety at doors and stairs, making daily life easier.

**SELF-CLOSING FROM BOTH SIDES**

Thanks to the magnetic lock, the self-closing indoor gate never remains open. It closes automatically, from both sides, safe and on its own. The two-phase indicator offers visual safety at one glance.

**SELF-CLOSING  
FROM BOTH SIDES**



**SAFE AND EASY  
TO LOCK**



SAFETY GATE OPENS IN BOTH DIRECTIONS

**SAFE AND EASY-TO-USE LOCK**

The gate for doors and stairs opens to both sides. In some situations, when you want the gate to open to one side only, you can use the safety lock on the bottom, providing a one- or two-way opening.

## PRESSURE FIT GATE FOR STANDARD DOORS AND OPENINGS

The Clear Step Autoclose gate is suitable for doors and stairs with an opening of 29.5-31.5 in. Thanks to the adjusting screws, you can install the gate in an easy and stable way, without drilling.



### INDIVIDUALLY EXTENDABLE



## INDIVIDUALLY EXTENDABLE WITH SEPARATE EXTENSIONS

With the separately available 3.5 in and 8.2 in extensions, you can prolong the self-closing gate up to 48 in, making it suitable for doors and staircases that do not have standard dimensions.

## SEPARATE Y ADAPTER FOR STAIRCASES WITH ROUND BARS

With the help of the hauck Y spindles, you can safely install the safety gate on stairs with round bars – without any drilling.

### SEPARATE Y ADAPTER AVAILABLE AS ACCESSORY



EASY INSTALLATION  
WITH ADJUSTING SCREWS




PRESSURE FIT GATE WITH  
ADJUSTING SCREWS

Whether at home, at the grandparents or on holiday – this barrier-free safety gate can be easily installed by four adjusting screws and pressure fit, leaving no trace on your walls.

SELF-ADJUSTING GATE

The gate's initial misaligning/gap on the level of the locking mechanism is eliminated by tightening the adjusting screws in the frame, allowing for a safe and stable fixation.





**CLEAR STEP AUTOCLOSE 2**  
THE BARRIER-FREE SAFETY GATE FOR DOORS & STAIRS



**Product Images**



**Lifestyle Images**



### **Clear Step Autoclose 2 - The barrier-free safety gate for doors & stairs**

As soon as your child can crawl, your most reliable companion will be a safety gate. The barrier-free Clear Step Autoclose 2 gate offers an extra-low entry, reducing the risk of stumbling for young and old.

Thanks to the magnetic lock, the gate closes automatically from both opening sides. The two-phase indicator offers visual safety at one glance.

Hot stove? Open front door? Some situations require the gate to open to one side only. By using the safety lock on the bottom, you can adjust the gate to your individual needs.

Whether at home, at the grandparents or on holiday – this stable pressure fit gate is very easy to install by means of adjusting screws. Also, removing the gate is as easy and leaves no trace on your walls.

The Clear Step Autoclose 2 can be used not only for standard openings of 29.5-31.5 in, but also for larger ones up to 48 in by expanding it with the separately available extensions of 3.5 in and 8.2 in. By using the separate Y spindles, you can install the indoor gate on staircases with round bars, too.

The following dimensions are possible with the separately available extensions:

- 29.5-31.5 in = safety gate only
- 33.1-35 in = safety gate + 3.5 in extension
- 36.6-38.6 in = safety gate + 2 x 3.5 in extension
- 37.8-39.8 in = safety gate + 8.2 in extension
- 41.3 - 43.3 in = safety gate + 3.5 in extension + 21 cm extension
- 46.1-48 in = safety gate + 2x 8.2 in extension

Please note: This product is a self-adjusting gate. This means that the gate's initial misaligning/gap on the level of the locking mechanism is eliminated by tightening the adjusting screws in the frame.

### **Shipping**

- Instruction manual
- Safety gate

# CLEAR STEP AUTOCLOSE 2

THE BARRIER-FREE SAFETY GATE FOR DOORS & STAIRS



**Product net weight** 4,15 kg 9.15 lb / US

## Protection Area

**Possible protection area** 29.5-31.5 in (safety gate without extension)

**Extension possibilities** 9 cm Extension  
21 cm Extension  
Y-Spindle

**Optional protection area** 29.5-31.5 in (safety gate without extension)  
33.1-35 in (safety gate + 9 cm extension)  
36.6-38.6 in (safety gate + 2 x 9 cm extension)  
37.8-39.8 in (safety gate + 21 cm extension)  
41.3 - 43.3 in (safety gate + 9 cm extension + 21 cm extension)  
46.1-48 in (safety gate + 2x 21 cm extension)

**Safety Gate height** in  
30.31 in

**Special features** Easy to assemble without drilling  
Self-closing  
Safety Indicator  
Extendable  
Blockable to one side  
Flat entry

**Age information** 0 - 24 months

## Dimensions

**Built up** 29.5 x 0.8/1.97 x 30.3 in