

SAFE OPENING AND AUTOMATIC CLOSING

/
INDIVIDUALLY EXTENDABLE WITH ACCESSORIES

/ SAFE AND FAST INSTALLATION WITHOUT DRILLING







MORE SAFETY THANKS TO BARRIER-FREE ENTRY

The safety gate with extra-low entry offers you and your child more comfort and safety at doors and stairs, making daily life easier.

SELF-CLOSING FROM BOTH SIDES

Thanks to the magnetic lock, the self-closing indoor gate never remains open. It closes automatically, from both sides, safe and on its own. The two-phase indicator offers visual safety at one glance. SELF-CLOSING FROM BOTH SIDES





SAFETY GATE OPENS IN BOTH DIRECTIONS

SAFE AND EASY-TO-USE LOCK

The gate for doors and stairs opens to both sides. In some situations, when you want the gate to open to one side only, you can use the safety lock on the bottom, providing a one- or twoway opening.

hauck


PRESSURE FIT GATE FOR DOORS AND STAIRS OF 33.1-35 IN

The Clear Step Autoclose gate is suitable for doors and stairs with an opening of 33.1-35 in. Thanks to the adjusting screws, you can install the gate in an easy and stable way, without drilling.



INDIVIDUALLY EXTENDABLE

WITH A 2ND EXTENSION



INDIVIDUALLY EXTENDABLE WITH SEPARATE EXTENSIONS

With the separately available 3.5 in and 8.2 in extensions, you can prolong the self-closing gate, making it suitable for doors and staircases that do not have standard dimensions.

SEPARATE Y ADAPTER FOR STAIRCASES WITH ROUND BARS

With the help of the hauck Y spindles, you can safely install the gate on stairs with round bars – without any drilling.

SEPARATE Y ADAPTER

AVAILABLE AS ACCESSORY







PRESSURE FIT GATE WITH ADJUSTING SCREWS

Whether at home, at the grandparents or on holiday – this barrier-free safety gate can be easily installed by four adjusting screws and pressure fit, leaving no trace on your walls.

SELF-ADJUSTING GATE

The gate's initial misaligning/gap on the level of the locking mechanism is eliminated by tightening the adjusting screws in the frame, allowing for a safe and stable fixation.



CLEAR STEP AUTOCLOSE 2 SET +9 CM BARRIER-FREE SAFETY GATE SET FOR DOORS & STAIRS

Product Images














SEPARATE Y ADAPTER AVAILABLE AS ACCESSORY



SELF-CLOSING FROM BOTH SIDES







SAFE AND EASY TO LOCK





Lifestyle Images



























Clear Step Autoclose 2 Set + 3.5 in extension - Barrier-free safety gate set for doors & stairs

As soon as your child can crawl, your most reliable companion will be a safety gate. The barrier-free Clear Step Autoclose 2 gate set offers an extra-low entry, reducing the risk of stumbling for young and old.

Thanks to the magnetic lock, the gate closes automatically from both opening sides. The two-phase indicator offers visual safety at one glance.

Hot stove? Open front door? Some situations require the gate to open to one side only. By using the safety lock on the bottom, you can adjust the gate to your individual needs.

Whether at home, at the grandparents or on holiday – this stable pressure fit gate is very easy to install by means of adjusting screws. Also, removing the gate is as easy and leaves no trace on your walls.

The Clear Step Autoclose 2 Set inclusive 3.5 in extension can be used not only for openings of 33.1-35 in, but also for larger ones by expanding it with the separately available extensions of 9 cm and 8.2 in. By using the separate Y spindles, you can install the indoor gate on staircases with round bars, too.

The following dimensions are possible with the separately available extensions:

29.5-31.5 in = safety gate only 33.1-35 in = safety gate + 3.5 in extension 36.6-38.6 in = safety gate + 2×3.5 in extension 37.8-39.8 in = safety gate + 8.2 in extension 41.3 - 43.3 in = safety gate + 3.5 in extension + 8.2 in extension 46.1-48 in = safety gate + 2×8.2 in extension

Please note: This product is a self-adjusting gate. This means that the gate's initial misaligning/gap on the level of the locking mechanism is eliminated by tightening the adjusting screws in the frame.

Shipping

- Instruction manual
- 9cm Extension
- Safety gate



Product net weight	4,60 kg 10.14 lb / US
Protection Area	
Possibile protection area	29.5-31.5 in (safety gate without extension) 33.1-35 in (safety gate + 9 cm extension)
Extension possibilities	9 cm Extension 21 cm Extension Y-Spindle
Optional protection area	29.5-31.5 in (safety gate without extension) 33.1-35 in (safety gate + 9 cm extension) 36.6-38.6 in (safety gate + 2 x 9 cm extension) 41.3 - 43.3 in (safety gate + 9 cm extension + 21 cm extension)
Safety Gate height	in 30.31 in
Safety Sale height	50.01 m
Special features	Easy to assemble without drilling Extension included Self-closing Safety Indicator Extendable Blockable to one side Flat entry
Age information	0 - 24 months
Dimensions	
Built up	33.1 x 0.8/1.97 x 30.3 in