

SAFE TO OPEN AND MANUAL LOCKING

/

**INDIVIDUAL USE AND EXPANDABLE WITH
ACCESSORIES**

/

**MOUNTED SAFELY, SECURELY AND QUICKLY
WITHOUT DRILLING**



CLEAR STEP? 2 SET +9 CM

BARRIER-FREE, MANUALLY LOCKING SAFETY GATE SET



MORE SAFETY THANKS TO BARRIER-FREE ENTRY



MORE SAFETY DUE TO BARRIER-FREE ACCESS

This low-threshold safety gate offers you and your child extra comfort and safety on doors and stairs, making everyday life easier.

SECURE AND QUICK TO LOCK

The door and stair safety gate can be opened to both sides with one hand. You can block the gate on one side with the safety stopper, depending on the situation.

SAFE AND EASY TO LOCK



SAFETY GATE OPENS IN
BOTH DIRECTIONS



PRESSURE FIT GATE FOR DOORS AND STAIRS 84–89 CM WIDE

The set, consisting of a gate and 9-cm metal extension, is suitable for stairs or doors with a width of 84–89 cm. Thanks to the adjusting screws, you can clamp it in place quickly and stably.

CLEAR STEP? 2 SET +9 CM


BARRIER-FREE, MANUALLY LOCKING SAFETY GATE SET



EXPANDABLE WITH SEPARATE EXTENSIONS

In addition to the 9-cm extension included in the set, you can expand the safety gate using a second, separately available 9-cm or 21-cm extension and use it for larger openings.

INDIVIDUALLY EXTENDABLE WITH A 2ND EXTENSION



SEPARATE Y ADAPTER AVAILABLE AS ACCESSORY



SEPARATE Y-SPINDLES FOR STAIRS WITH ROUND STRINGERS

The safety gate can also be mounted on banisters with round stringers without drilling using the hauck Y-spindles.

CLAMPING GATE WITH PRESSURE FASTENING

Whether at home, at the grandparents, or on holiday – thanks to the pressure fastening with adjusting screws, the child gate can be easily removed and mounted in just a few simple steps.

EASY INSTALLATION WITH ADJUSTING SCREWS





SELF-ADJUSTING GATE

The initial skewed position/gap in the area of the locking mechanism is eliminated by tightening the four fixing screws. This makes secure, stable fastening possible.

CLEAR STEP? 2 SET +9 CM


BARRIER-FREE, MANUALLY LOCKING SAFETY GATE SET



Product Images



CLEAR STEP? 2 SET +9 CM
BARRIER-FREE
MANUALLY LOCKING SAFETY GATE



SAFE AND EASY TO LOCK

ONE GATE FOR DOORS & STAIRS
FOR DOORS AND STAIRS
BOTH DIRECTIONS



MORE SAFETY THANKS TO BARRIER-FREE ENTRY



SAFE AND EASY TO LOCK

SAFETY GATE OPENS IN BOTH DIRECTIONS



ONE GATE FOR DOORS & STAIRS
FOR DOORS AND STAIRS
BOTH DIRECTIONS



INDIVIDUALLY EXTENDABLE WITH A 2ND EXTENSION

Clear Step? 2 Set +9 CM Safety Gate Extension



SEPARATE Y ADAPTER AVAILABLE AS ACCESSORY

FOR STRONGER
WITH ROUND OR OVAL BARS



EASY INSTALLATION WITH ADJUSTING SCREWS



SAFE & STABLE SELF-ADJUSTING GATE

Barrier-free, manually locking door & stair safety gate set

As soon as your child is mobile, safety gates on stairs and in doorways are essential. This barrier-free safety gate has a low threshold – thus virtually eliminating the risk of tripping for both young and old.

The safety gate can be opened with one hand to both sides and is easy to close.

Hot stove? Open front door? In some situations, it is safer if the safety gate only opens in one direction. You can set this at any time with the safety stopper.

Whether at home, at the grandparents, or on holiday, the clamping gate is robustly attached with adjusting screws by means of pressure fit and can be removed without leaving any residues.

The Clear Step 2 set, including 9 cm extension, is not only suitable for passageways with a width of 84–89 cm but can also be extended to up to 110 cm using the separately available 9-cm or 21-cm extensions. The safety gate can also be mounted on banisters with round stringers using separate hauck Y-spindles.

The following dimensions are possible with separate extensions:

75–80 cm = child gate without extension
84–89 cm = child gate + 9 cm extension
93–98 cm = child gate + 9 cm + 9 cm extensions
96–101 cm = child gate + 21 cm extension
105–110 cm = child gate + 9 cm + 21 cm extensions
117–122 cm = child gate + 21 cm + 21 cm extensions

Note: This safety gate is self-adjusting. This means that the initial skewed position/gap in the area of the locking mechanism is eliminated by tightening the four fixing screws.

Shipping

- Instruction manual
- 9cm Extension
- Safety gate

CLEAR STEP? 2 SET +9 CM

BARRIER-FREE, MANUALLY LOCKING SAFETY GATE SET



Product net weight 4,43 kg 9.77 lb / US

Protection Area

Possible protection area 29.5-31.5 in (safety gate without extension)
33.1-35 in (safety gate + 9 cm extension)

Extension possibilities 9 cm Extension
21 cm Extension
Y-Spindle

Optional protection area 29.5-31.5 in (safety gate without extension)
33.1-35 in (safety gate + 9 cm extension)
36.6-38.6 in (safety gate + 2 x 9 cm extension)
37.8-39.8 in (safety gate + 21 cm extension)
41.3 - 43.3 in (safety gate + 9 cm extension + 21 cm extension)
46.1-48 in (safety gate + 2x 21 cm extension)

Safety Gate height in
30.31 in

Special features Easy to assemble without drilling
Extension included
Extendable
Blockable to one side
Flat entry

Age information 0 - 24 months

Dimensions

Built up 33.1 x 0.8/1.97 x 30.3 in